

# CHAPTER 12

## Data retrieval through Sub-Queries

**EDITOR:**  
**RUZAINI ABULLAH ARSHAH**  
Faculty of Computer Systems & Software Engineering  
ruzaini@ump.edu.my





OER Structured Query Language by Ruzaini Abdullah Arshah (editor) work is under licensed [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/).

# CHAPTER OUTCOMES


This chapter aimed to enable learners to be able to do the followings:

- Use Sub-queries for multiple columns
- Use Scalar sub-queries
- Use Correlated sub-queries for Update and delete rows
- Use the EXISTS and NOT EXISTS operators
- Use the WITH clause





OER Structured Query Language by Ruzaini Abdullah Arshah (editor) work is under licensed [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/).



# SUMMARY

This chapter has covered:

- The use of Correlated sub-queries with SELECT, UPDATE, and DELETE statements
- The use of EXISTS operator to tests the value
- The use of WITH clause

# REFERENCES

- <sup>1</sup> Oracle University, at: <http://education.oracle.com>